

DECLARATION OF COMPLIANCE Supor® Beverage Filter Cartridges AB Style "W" Code

Cartridge Part Number



This is a guide to the Part Numbering structure only. For specific options, please contact Pall.

Table 1 : Nominal Length

Code	Description
1	254 mm (10")
2	508 mm (20")
3	762 mm (30")
4	1016 mm (40")

Table 2: Adaptor

Code	Description
3	SOE - single open end with flat end and external 222 O-rings
7	SOE - single open end with fin end and external 226 O-rings
8	SOE – single open end with fin end, plug-in style and external 222 O-rings
28	SOE – single open end with fin end,

Table 3: O-ring Seal Material

Code	Description
H4	Silicone Elastomer
J	Ethylene Propylene
	Rubber

The Supor Beverage filter cartridges each use a single layer of Supor® polyethersulfone (PES) 0.45 µm filter membrane in a polypropylene filter construction.

Supor Beverage filters are suitable for microbial removal from aqueous-based, slightly alcoholic food and beverage products, such as wine.

An initial flush is recommended prior use.

Issued 1 May 2014

Revised 29 September 2017 Expires 28 February 2019 Reference FBDCSBENb

Clemel

Page 1 of 3

Dawn Cromwell Director, QA Laboratory, Food & Beverage

Supor beverage Filter Cartridges (AB Style "W" Code)

Components

Filter Membrane One layer of hydrophilic Supor polyethersulfone membrane

Support / Drainage Polypropylene

Cage Polypropylene with titanium dioxide filler

Core, End Cap and Fin End Polypropylene

Adaptor Polypropylene with a stainless steel reinforcing ring as appropriate to design*

O-ring Seal Ethylene Propylene Rubber (J) or Silicone Elastomer (H4)

Declaration

Supor Beverage "W" Code filter cartridges comprise of materials that meet regulatory and legislative requirements and guidelines for food contact in that:

Europe

The "W" Code Supor Beverage filter cartridges meet the requirements for food contact as detailed in European Regulation (EC) Number 1935/2004 in that:

Our suppliers Information indicates that the polymeric materials used to produce "W" Code Supor Beverage filter cartridges are made from monomers and additives consistent with Annex I of European Regulation (EU) number 10/2011 and its amendments relating to plastic materials and articles intended to come in contact with foodstuffs (excluding seals).

Migration testing of cartridges employing the same materials of construction as the 'W' code Supor Beverage filter, has been performed, and met migration criteria after flushing and in flow conditions.

OML tested as AB1SBB7WH4 In:-

Simulant A (10% ethanol) for 2 hours at reflux,

Simulant B (3% acetic acid) for 2 hours at reflux,

Simulant C (20% ethanol) for 2 hours at reflux.

Plus Simulant D1 (ethanol 50%) for 2 days at 60 °C.

Our supplier states that the Silicone elastomeric seal material used conforms to BfR recommendation XV. Our supplier states that the EPR elastomeric seal material used conforms to BfR recommendation XXI.

Note

This product contains materials that are subject to Specific Migration Limit (SML) requirements.

USA

The raw materials of construction meet the FDA requirements for food contact use as detailed in Code of Federal Regulations, 21 CFR paragraphs 170-199 in that:

- Polypropylene to 21 CFR section 177.1520 (Olefin polymers)
- Polyethersulfone resin to 21 CFR section 177.2440 (Polyethersulfone resins)
- Ethylene Propylene Rubber and Silicone Elastomeric seal materials to 21 CFR section 177.2600 (Rubber articles intended for repeated use, excluding milk and edible oils)

In addition, the Supor SBB filter employs a copolymer of polyethylene glycol dimethacrylate, trimethylol methacrylate and 2-hydroxyethyl methacrylate. Filters employing this chemistry in a membrane cartridge for the filtration of beer and wine, have been granted Food Contact Substance Notification FCN 001397, for use as repeat microbial filter intended to clarify beer and wine.

Process Quality System

Site of Manufacture: Pall Filtersystems GmbH, Bad Kreuznach, Germany on behalf of Pall International Sàrl.

The Quality Management System at Pall Filtersystems GmbH, Bad Kreuznach, is certified to ISO 9001:2008. These products / product packaging carry a lot number / date code to facilitate traceability to suppliers' materials and Pall production records.

Pall Filtersystems GmbH confirm that the product manufacturing environment, for the above product at our Bad Kreuznach site, is in line with the principles of food contact materials GMP as detailed in Regulation 2023/2006.

Supplied in Europe by

Pall International Sàrl Av. de Tivoli 3 Fribourg Switzerland CH-1700



Pall Food and Beverage

New York - USA +1 516 484 3600 telephone +1 866 905 7255 toll free foodandbeverage@pall.com

Visit us on the web at $\underline{\text{www.pall.com}}$

Pall Corporation has offices throughout the world. For Pall representatives in your area, please go to www.pall.com/contact.

Because of developments related to products, systems and/or services described herein, the data and procedures are subject to change without notice. Please consult your Pall representative or visit www.pall.com to verify that this information remains valid.

© Copyright 2017, Pall Corporation. Pall, And Supor are trademarks of Pall Corporation. ® indicates a trademark registered in the USA. Filtration.Separation.Solution is a service mark of Pall Corporation.

FBDCSBENb

September 2017